Patella Fracture POST OPERATIVE INSTRUCTIONS Michael F Shepard M.D. (714) 634-4567

- 1. <u>First Post Operative Day</u>
 - A. Continue ice pack every one to two hours while awake.
 - **B.** Pain medication as needed.

DO NOT place ICE directly to the skin – this will result in a burn and potentially serious wound complications. Always keep a pad between the ice and the skin.

- 2. <u>Second Post Operative Day Until Return Visit</u>
 - A. Continue ice pack as needed.
 - B. You may remove your bandage from the surgical area and shower this evening. You will need to keep your op site(s) dry by covering wound with water-proof bandages (these can be purchased at your local pharmacy) when taking a shower. Do not remove steri strips because these keep the incision closed and stitches in place.
 - C. You may place weight on your operated extremity to comfort. Use your crutches for movement and balance. You will walk with the brace locked in extension for about 4 weeks.
 - **D.** You must wear your brace at all times.
- 3. <u>Suture Removal</u>
 - A. Your sutures need to be removed 7-10 days from surgery at your first post op visit. Rehab should start after your first visit.

For Return Appointments

- 4. Your 1st post-op visit will need to be scheduled for 10-14 days after surgery.
- 5. If you have any problems or questions please call our office at (714) 634-4567 during offices hours 8:00-5:00. If you have a problem after hours the answering service will contact Dr. Shepard.
- 6. Any activity that requires precise thinking and accuracy must be avoided for the first twelve hours after surgery and while taking pain medication, which includes operating machinery and/or driving a vehicle.